

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

1. (canceled)

2. (previously presented) The logic drawing entry apparatus of claim 5, further comprising:

inter-drawing diagram editing means for implementing editing on each of said plurality of drawing sheets when said plurality of drawing sheets are indicated on said screen.

3. (previously presented) The logic drawing entry apparatus of claim 2, wherein said inter-drawing diagram editing means, further, modifies the position of each drawing sheet on said screen.

4. (previously presented) The logic drawing entry apparatus of claim 2, wherein said inter-drawing diagram editing means, further, modifies the color of each drawing sheet on said screen.

5. (currently amended) A logic drawing entry apparatus for processing a plurality of drawing sheets for computer aided design of logic circuits, each of said plurality of drawing sheets indicating a logic circuit having at least one symbol, comprising:

means for creating an inter-drawing diagram file which describes respective positions of said plurality of drawing sheets on one screen and attributes of said plurality of drawing sheets; and

inter-drawing indication means for indicating, on said screen, said plurality of drawing sheets according to the description in said inter-drawing diagram file by miniaturizing the size of each of said plurality of drawing sheets; ~~and~~

~~net drawing means for drawing nets among said plurality of drawing sheets miniaturized and indicated on said screen, said nets indicating connection relations among a plurality of symbols contained in different ones of said plurality of drawing sheets, further comprising:~~

inter-drawing connection counting means for counting the number of connections between any combinations of said two of said plurality of drawing sheets, wherein a connection describes the relationship between two symbols on the two of said plurality of drawing sheets; and

net connection relation drawing means for drawing net nets among said plurality of drawing sheets miniaturized and indicated on said screen, an indication of said nets being modified connection relations between said drawings sheets based on the number of inter-drawing connections counted by said inter-drawing connection counting means.

6. (currently amended) The logic drawing entry apparatus of claim 5, wherein said ~~net drawing means has a function of modifying the indications of the nets according to said number of inter-drawing connections, and~~

the indications of the indication of said nets is viewed as a single line, and a thickness of the line varies ~~varying in proportion to said the number of connection relations~~ connections counted by said inter-drawing connection counting means.

7. (previously presented) The logic drawing entry apparatus of claim 5, further comprising:

drawing name modifying means for selecting a plurality of said drawings sheets and modifying the name of said plurality of drawing sheets, in ascending or descending order.

8. (previously presented) The logic drawing entry apparatus of claim 7, wherein said drawing name modifying means , further, designates intervals between the names of said plurality of drawing sheets.

9. (previously presented) A logic drawing entry apparatus for processing a drawing sheet indicating a logic circuit which has a plurality of symbols and nets connecting among said symbols, logic drawing entry apparatus comprising:

symbol selecting means for selecting via a user a symbol to be moved and a position to which the selected symbol moves;

judging means for judging whether or not a symbol exists at said position selected;

symbol moving means moving said selected symbols to said position if there is no symbol at said selected position;

symbol swapping means for swapping said selected symbol for a symbol at said selected position if there is a symbol at said selected position, so that positions of said selected symbol and said symbol at said selected position are swapped with each other; and

net redrawing means for redrawing nets for said selected symbols after the movement or swap while keeping the connection relations between said selected symbols before the movement.

10. (canceled)

11. (previously presented) The logic drawing entry apparatus of claim 9, further comprising arranging means for arranging a plurality of selected symbols on said drawing sheet to form a column or a row.

12. (previously presented) The logic drawing entry apparatus of claim 11, wherein said arranging means, further, designates intervals between symbols.

13. (canceled)

14. (previously presented) A logic drawing entry apparatus for drawing a plurality of drawing sheets for hierarchical design of a logic circuit, comprising:

judging means to determine if a particular level of hierarchical design of a logic circuit comprises a plurality of symbols, each of which belongs to the same level as said particular level;

drawing means for drawing a plurality of different drawing sheets by dividing said plurality of symbols into individual symbols so that each of said different drawing sheets only includes any one of said symbols, if said judging means determines that said particular level of hierarchical design of a logic circuit comprises a plurality of symbols, each of which belongs to the same level as said particular level; and

a net drawing means for drawing nets for each of said symbols.

15. (previously presented) The logic drawing entry apparatus of claim ~~4~~5, wherein said plurality of miniaturized drawing sheets are drawn in a shape of a block diagram.

16. (previously presented) A method of displaying a relationship between a plurality of drawing sheets for computer aided design of logic circuits, the method comprising:

displaying the plurality of drawing sheets according to the description in a inter-drawing diagram file, each drawing sheet of the plurality of drawing sheets reduced in size to allow the displayed plurality of drawing sheets to exist on a single screen; and

drawing nets among the plurality of reduced drawing sheets, the nets indicating the relative relationship among a plurality of symbols contained in each drawing sheet of the plurality of drawing sheets, each relative relationship viewed as a unified line, having a line thickness in proportion to the relative relationship.

17. (previously presented) A method of displaying a relationship between a plurality of drawing sheets for a computer aided design logic of circuits, comprising:

displaying the plurality of drawing sheets according to the description in a inter-drawing diagram file, each drawing sheet of the plurality of drawing sheets reduced in size to allow the displayed plurality of drawing sheets to exist on a single screen; and

drawing a line between a pair of drawing sheets of a plurality of drawing sheets where the thickness of the line is proportional to the number of symbols logically connected between the pair of drawing sheets.

18. (new) The logic drawing entry apparatus of claim 6, wherein the inter-drawing indication means indicates said plurality of drawing sheets only by means of drawing frames thereof.